

Summary of Patient < 3y at Visit 8 (42 months)

Clinician Scoring	Page	Direct online data entry available?
Medication	248	Yes
CISI-PD	251	Yes

Visit date

dd/mm/yyyy

Centre

2 digits

ID

4 letters

Case

Diagnosis <3y

Visit

V8 (42 months)



Medication

Current drugs

Tick here if completed [directly online](#)
(you can leave the sheet blank)

Antiparkinson drugs (mark one or more)

L-dopa (including Stalevo)

Dopamine agonist

Amantadine

MAOB-I

Anticholinergic

None

COMT-I

Other (specify below)

L-Dopa

Leave blank if patient is not on L-dopa.

Co-beneldopa

Dispersible

Co-careldopa

Madopar or similar

Controlled release (CR) or similar

Sinemet or similar

Other (specify below)

Stalevo

L-Dopa times per day

1 2 3 4 5 6 7 >7

Number of different times L-dopa is taken daily.

Tick once data is copied
from this page to online

Visit date
 

dd/mm/yyyy

Centre

2 digits

ID

4 letters

Case

Diagnosis <3y

Visit

V8 (42 months)

For a guide to L-dopa doses, see
V7 Medication form.

Tick here if completed [directly online](#)
(you can leave the sheet blank)

Enter the unit dose of L-dopa taken, e.g. Sinemet Plus 1 tab 3x daily is 100 in each of the first 3 boxes.

1st L-dopa**2nd L-dopa****3rd L-dopa****4th L-dopa****5th L-dopa****6th L-dopa****7th L-dopa****Additional L-dopa**

Include
irregular
doses,
estimate an
average if
necessary.

Amantadine

unit dose (mg)

times per day any extra

(amantadine)

Anticholinergic (mark one or more)

unit dose

Trihexyphenidyl (Benzhexol)

mg

times per day

Procyclidine

mg

times per day

Other (specify below)

mg

times per day

COMT-I (ignore Stalevo here)

unit dose

Entacapone

mg

times per day

Tolcapone

mg

times per day

Other (specify below)

mg

times per day

Tick once data is copied
from this page to online

Visit date

dd/mm/yyyy

Centre

2 digits

ID

4 letters

Case

Diagnosis <3y

Visit

V8 (42 months)

Dopamine agonists

unit dose

Tick here if completed directly online
(you can leave the sheet blank)

<input type="checkbox"/>	Apomorphine intermittent		mg	<input type="text"/>	times per day
<input type="checkbox"/>	Apomorphine pump	mg per hour		<input type="text"/>	hours per day
<input type="checkbox"/>	Bromocriptine		mg	<input type="text"/>	times per day
<input type="checkbox"/>	Cabergoline		mg	<input type="text"/>	times per day
<input type="checkbox"/>	Pergolide		mg	<input type="text"/>	times per day
<input type="checkbox"/>	Pramipexole (Standard or PR)		mg	<input type="text"/>	times per day
<input type="checkbox"/>	Salt		mg	<input type="text"/>	times per day
<input type="checkbox"/>	Base		mg	<input type="text"/>	times per day

(Ignore system rounding for Pramipexole)

<input type="checkbox"/>	Ropinirole (Standard or XL)		mg	<input type="text"/>	times per day
<input type="checkbox"/>	Rotigotine		mg	<input type="text"/>	times per day
<input type="checkbox"/>	Other (specify below)		mg	<input type="text"/>	times per day
<input type="text"/>					

MAOB-I

unit dose

<input type="checkbox"/>	Rasagiline		mg	<input type="text"/>	times per day
<input type="checkbox"/>	Selegiline		mg	<input type="text"/>	times per day
<input type="checkbox"/>	Zelapar		mg	<input type="text"/>	times per day
<input type="checkbox"/>	Other (specify below)		mg	<input type="text"/>	times per day
<input type="text"/>					

Note: There is no "Other Medication" section for V8.

Tick once data is copied
from this page to online

Visit date



dd/mm/yyyy

Centre

2 digits

ID

4 letters

Case

Diagnosis <3y

Visit

V8 (42 months)



CISI-PD Clinical Impression of Severity Index

Please rate the patient for the following items

Tick here if completed [directly online](#)
(you can leave the sheet blank)

Motor signs

- Normal
- Very mild
- Mild
- Mild to moderate
- Moderate
- Severe
- Very severe

Disability

- Normal
- Minimal slowness and/or clumsiness
- Slowness and/or clumsiness; no limitations
- Limitation for demanding activities; does not need help for basic ADL
- Limitation to perform basic ADL; help is required for some basic ADL
- Great limitation to perform basic ADL; help is required for most or all basic ADL
- Severely disabled; helpless; complete assistance needed

Motor complications (dyskinesia and fluctuations)

- Not at all
- Very mild
- Mild
- Mild to moderate
- Moderate
- Severe
- Very severe

Cognitive status

- Normal
- Slowness and / or minimal cognitive problems
- Mild cognitive problems; no limitations
- Mild to moderate cognitive problems; does not need help for basic ADL
- Moderate cognitive problems; help is required for some basic ADL
- Severe cognitive problems; help is required for most or all basic ADL
- Severely disabled; helpless; complete assistance needed

Thank you. The questions for this visit are now complete.

Tick once data is copied
from this page to online

